



**Excalibur Hygiene Limited**  
**Units 4/5 Dadsford Bridge Industrial Estate**  
**Plant Street, Wordsley**  
**Stourbridge**  
**West Midlands DY8 5SY**  
**Tel: 01384 671505. Fax: 01384 671256**

# COSHH HEALTH & SAFETY DATA

REVISION No.

2.20

DATE

March 14th 2010

**SUPERCEDES ALL PREVIOUS ISSUES**

## 1. PRODUCT NAME

**UNDO-IT**

## APPLICATION

PENETRATING FLUID/RELEASE OIL

## 2. CHEMICAL COMPOSITION / INFORMATION

See below

HAZARDOUS INGREDIENTS	EINECS No..	CAS No.	%w/w. RANGE	OES 8hr	OES 15min	NATURE OF HAZARD
White Spirit			30 - 60%	100 ppm	125 ppm	Highly flammable
n-Butane		106-97-8	30 - 60%	600 ppm	750 ppm	
iso-Butane		75-28-5	30 - 60%	600 ppm	750 ppm	
Propane		74-98-6	30 - 60%	Not applicable	Not applicable	
Isopropanoll		61-63-0	1 - 5%	400 ppm	500 ppm	

## 3. HAZARD IDENTIFICATION

Pressurised container. Protect from sunlight, and do not expose to temperatures exceeding 50 deg C. Do not pierce or burn after use. Do not spray onto naked flame, or any incandescent material. Product is classed as flammable under CHIP2 Regulations

## 4. FIRST AID MEASURES

<b>EYES</b>	Remove any contact lenses. Irrigate copiously with clean water for at least 10 minutes. Seek medical advice.
<b>SKIN</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. If irritation persists seek medical attention.
<b>INGESTION</b>	Do not induce vomiting. Wash out mouth with water. Give milk or water to drink. Seek medical attention.
<b>INHALATION</b>	Remove to fresh air. Keep warm and at rest.

## 11. TOXICOLOGICAL INFORMATION - ACUTE EFFECTS

<b>EYES</b>	Prolonged contact may cause irritation and redness.
<b>SKIN</b>	Prolonged contact may cause irritation and redness.
<b>INGESTION</b>	Product will cause slight irritation to mouth and throat.
<b>INHALATION</b>	High levels of vapour may cause dizziness.

## 5. FIRE FIGHTING MEASURES

<b>EXTINGUISHING MEDIA</b>	BCF/CO2/Foam/Dry chemical powder
<b>FIRE &amp; EXPLOSION HAZARDS</b>	Fire provides risk of cans bursting.
<b>PROTECTIVE MEASURES</b>	Keep cans cool by spraying with water.

## 12. ECOLOGICAL INFORMATION

Whilst this product could not be considered biodegradable, it would not normally be expected to enter a water discharge system. Product, however, is classed as a Marine Pollutant.

## 6. ACCIDENTAL RELEASE MEASURES

SMALL - Wipe with rag or rinse with clean water. Accidental release would not normally occur with aerosols, but in event, ensure good ventilation.  
 LARGE - Contain large spillages with sand or clay granules, collect in suitable containers for disposal. Do not allow to enter drains or water courses.

## 13. DISPOSAL CONSIDERATIONS

Collect empty aerosols together and dispose of by tipping on a licensed tip.

## 7. HANDLING AND STORAGE

Store in a dry place in upright position, away from sources of heat, including the sun. Store away from flammable and corrosive products.

## 14. TRANSPORT INFORMATION

<b>U.N. No.</b>	1950	<b>IIMDG CLASS</b>	9022
<b>ADR CLASS No.</b>	9 (IMDG)	<b>PACK'G GROUP</b>	II
<b>ADR CLASS</b>	9	<b>ICAO CLASS</b>	
<b>ADR CLASS CODE</b>		<b>TREMCARD No.</b>	4

## 8. PERSONAL PROTECTION

<b>GOGGLES</b>	Optional	<b>APRONS</b>	Optional
<b>GLOVES</b>	Yes	<b>RESPIRATORS</b>	Not applicable
<b>OVERALLS</b>	Yes	<b>BARRIER CRM</b>	Yes

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>PHYSICAL FORM</b>	Aerosol
<b>COLOUR/ODOUR</b>	Pale amber liquid/characteristic solvent odour
<b>FLASH POINT</b>	Propellant less than -74°C
<b>VAPOUR DENSITY</b>	Not applicable
<b>SPECIFIC GRAVITY</b>	0.721 kg/litre (can contents)
<b>SOLUBILITY IN WATER</b>	Insoluble
<b>CAN PRESSURE</b>	Can pressure 40/50psi

## 15. REGULATORY INFORMATION



**FLAMMABLE**



Keep out of reach of children.  
 Use only in well ventilated areas.  
 Keep away from sources of ignition - No smoking.  
 Do not breathe vapour/spray.  
 If swallowed seek medical advice immediately and show this container or label.

## 10. STABILITY AND REACTIVITY

Avoid temperatures greater than 50 deg C, when aerosols are likely to explode due to increased internal pressure.

## 16. OTHER INFORMATION

Information supplied in this safety data sheet is to be used as guidance for the safe use, storage and handling of the product, and is correct to the best of our knowledge and belief at the time of publication. However, no guarantee is made as to its accuracy. This information relates only to the specific material designated, and may not be valid for such material used in combination with any other materials, or in any other process. As conditions of use of the product are outside our control, the information is given without legal responsibility. The user is responsible for compliance with relevant legislation.